

OPT-ELT3

Professional Emergency Lighting

■ IP 65

■ 220-240 V

■ 3 Hours

■ Watt: 10 Watt

■ Emergency Lumen: 1000





LED EMERGENCY



► Advantages:

- 3 Hour Emergency Illumination
- Overcharge & Over-discharge protection
- Multiple installation methods:
 - -Wall Mounting
- CE/CB/SASO certification
- IP65
- 3 years warranty





Applications:

- Hotel
- The mall
- Hospital
- Meeting room
- Office building
- Movie Theater
- Hallways
- The lobby





▶ Technical Characteristics:

Brand	Optimal Light
Model name	OPT-ELT3
Rated voltage	220-240 VAC~50-60Hz
Operating mode	Non-maintained
Rated wattage	10W
Led Source	SMD2835/1W 2*15/6500K
mergency Luminance Flux	1000lm
Battery	LiFePO18650 /9.6V1800Ah
Charge	≤24H
Discharge duration	3H
Battery life	Up to 4 years
Power factor	≥0.5
Operating temp range	40℃
IP Rating	IP65
Electric protection	Class
Weight	1460g
Lifetime	20000 hrs
Warranty	3 years













SASO


IECEE




► Materials:

Housing	PC
Housing color	White
Lamp Cover	PC

▶ Product Dimension:




Unique Features:








Light Distribution Curve:

Installation:









Size And Packing:

Power range	Product size(mm)	Packing size(mm)	N.W(Kg)	G.W(Kg)
10W	301x298x79	310x305x87		

▶ Notice For User:

Please turn off power before install or charge assembly parts.

The input voltage and lamps should be matched, after connecting the power line,

Please make sure the wiring section is insulated.

No-professionals must not install and disassemble the lamps.

▶ Trouble Shootings:

Troubles	Check points	
Flickering of the light	If same phenomena occur,then call agencies Turn off the power and turn on again in 3 minutes	
Out of working	Please check the connection If same phenomena occur,then call agencies	